## Technical information

|  | 4.5 (.177) | 5.5 (.22)                   | 6.35 (.25) |
|--|------------|-----------------------------|------------|
| Energy<br>Rifle can also be bought in 7J,<br>16J, 20J or 24J                                     | 30J        | 45J                         | 60J        |
| Air Capacity   |            | 320cc                       |            |
| Max filling pressure   |            | 300bar                      |            |
| Bottle   | Re         | emovable aluminium buddy bo | ttle       |
| Magazine capacity  | 14         | 12                          | 10         |
| Max pellet length in magazine which still fits in the magazine (all calibres)                    |            | 12mm                        |            |
| Max pellet length single shot which can fit in to the barrel without the magazine (all calibres) |            | 16mm                        |            |
|  |            |                             |            |

|                    | 4.5 (.177)   | 5.5 (.22)                                     | 6.35 (.25)                                |  |
|--------------------|--|---|---|--|
| Shots per fill     | 1  | 110   | /   |  |
| Trigger            | 2 stage, adjustable down to 200g   |   |   |  |
| Cocking system     | Straight pull  |   |   |  |
| Grip               | Standard AR15 grip (must be without beaver tail)   |   |   |  |
| Barrel             | CZ 20", 12 grooves, 450 twist rate, choked   | CZ 20", 12 grooves, 450<br>twist rate, choked | CZ 20", 10 grooves, 45 twist rate, choked |  |
| Arrow Barrel       |  | Available as an addition                      |   |  |
| Caliber Kits       | Different caliber kits can be bought as an addition so you can easily change a caliber of your rifle |   |   |  |
| Pressure regulator |  | By default set to 125bar                      |   |  |
| Trigger safety     |  | Yes   |   |  |
|                    |  |   |   |  |

|                       | 4.5 (.177)                                       | 5.5 (.22)                                       | 6.35 (.25) |
|-----------------------|--|---|------------|
| Optics                |  | Picatinny rail                                  |            |
| Picatinny rail length |  | 170mm   |            |
| Pressure gauge        | On the bottle which shows pressure in the bottle |   |            |
| Total length          | 706mm  |   |            |
| Max height            |  | 157mm   |            |
| Max width             |  | 35mm  |            |
| Bottle diameter       |  | 61mm  |            |
| Weight                |  | with buddy bottle<br>kg without buddy<br>bottle | /          |
| Charging type         | F  | Foster coupling                                 |            |
|                       |  |   |            |